



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:
Rozenzon et al.

Patent No.: 6,916,399

Issued: July 12, 2005

Serial No.: 09/325,026

Filed: June 3, 1999

For: TEMPERATURE
CONTROLLED WINDOW
WITH A FLUID SUPPLY
SYSTEM

§
§
§ Group Art Unit: 1763
§
§ Examiner: Alejandro Mulero
§
§
§
§
§
§
§
§
§

MAIL STOP PETITION
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

| | |
|--|-------------------------------|
| CERTIFICATE OF MAILING 37 CFR 1.8 | |
| I hereby certify that this correspondence is being deposited on <u>7/11</u> , 2006 with the United States Postal Service as First Class Mail in an envelope addressed to: MAIL STOP PETITION, Commissioner for Patents, P.O. Box 1450 Alexandria, VA 22313-1450. | |
| <u>7/11/06</u> Date | <u>Kim Z Zhe</u> Signature |

Dear Sir:

PETITION TO CORRECT THE ASSIGNEE UNDER 37 CFR 1.183

Assignee's name was inadvertently omitted from the Issue Fee Transmittal, and therefore Assignee's name was not included on the printed patent. It is respectfully requested that the requirements of CFR 3.81(a) be waived in order that the correct name of Assignee can be provided on a Certificate of Correction.

The Commissioner is hereby authorized to charge the petition fee of \$130.00 (37 CFR 1.117(h)), and any other fee necessary to make this submission timely, to Deposit Account No. 20-0782/APPM/2922.Y1 (KMT).


Attached is a copy of the USPTO assignment record confirming that the Assignment to Applied Materials, Inc. was recorded on December 3, 1999, at Reel/Frame 010447/0135.

07/14/2006 JBALINAN 00000020 200782 6916399
02 FC:1464 130.00 DA

Also attached is a Request for Certificate of Correction.

Respectfully submitted,

Date: 7/7/06



Keith M. Tackett

Registration No. 32,008

MOSER, PATTERSON & SHERIDAN, L.L.P.

3040 Post Oak Blvd. Suite 1500

Houston, TX 77056

Telephone: (713) 623-4844

Facsimile: (713) 623-4846

Agent for Applicant(s)

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO. : 6,916,399

Page 1 of 3

APPLICATION NO. : 09/325,026

DATED : Jul. 12, 2005

INVENTOR(S) : Yan ROZENZON, Gil LAVI, Evans Y. LEE, Dong Ho CHOI, Matt HAMRAH, Paul E. LUSCHER, Kaushik VAIDYA, Bryan PU, Richard FOVELL

It is certified that error appears in the above-identified patent and that said Letters Patent are hereby corrected as shown below:

On the Cover of the Patent

Add Assignee: Applied Materials, Inc., P.O. Box 450-A, Santa Clara, CA 95052

In the Specification

Column 2, Line 11: Delete the comma after "temperature"

Column 3, Line 31: Delete the comma after "etch"

Column 5, Line 39: Change "window" to --chamber lid 48--

Column 5, Line 39: Change "1a" to --1A--

Column 5, Line 43: Change "lid" to --chamber cover--

Column 5, Line 45: Change "an energy transparent window" to --a chamber lid--

Column 5, Line 46: Change "window" to --chamber lid 48--

Column 5, Line 47: After "ring", insert --47--

Column 5, Line 47: After "provide", insert --a--

Column 5, Line 48: Change "window" to --chamber lid 48, as shown more clearly in FIG. 8.--

Column 5, Line 49: Change "window" to --chamber lid--

Column 5, Line 51: Change both instances of "fluid" to --temperature control--

Column 5, Line 53: Change "inlets/outlets" to --feedthrough pockets--

Column 5, Line 53: Change "fluid" to --temperature control--

Column 5, Line 56: Change "2" to --4--

Column 5, Line 56: Before "channel", insert --temperature control--

MAILING ADDRESS OF SENDER (Please do not use customer number below):

Keith M. Tackett
PATTERSON & SHERIDAN, L.L.P.
3040 Post Oak Blvd., Suite 1500
Houston, TX 77056-6582

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO. : 6,916,399

Page 2 of 3

APPLICATION NO. : 09/325,026

DATED : Jul. 12, 2005

INVENTOR(S) : Yan ROZENZON, Gil LAVI, Evans Y. LEE, Dong Ho CHOI, Matt HAMRAH, Paul E. LUSCHER, Kaushik VAIDYA, Bryan PU, Richard FOVELL

It is certified that error appears in the above-identified patent and that said Letters Patent are hereby corrected as shown below:

Column 5, Line 57: After both instances of "plates", insert --92, 94--

Column 5, Line 59: Before "channel", insert --temperature control--

Column 5, Line 61: Before "channel", insert --temperature control--

Column 5, Line 61: After "channel", insert --64--

Column 5, Lines 62-63: Change "the channels" to --temperature control channel 64--

Column 5, Line 65: Before "channel", insert --temperature control--

Column 5, Line 65: After "channel", insert --64--

Column 5, Line 65: After "plate", insert --92--

Column 5, Line 66: After "plate", insert --94--

Column 5, Line 67: After "plate", insert --92--

Column 6, Line 1: After "plate", insert --94--

Column 6, Line 2: After "plates", insert --92, 94--

Column 6, Line 2: Before "channel", insert --temperature control--

Column 6, Line 2: After "channel", insert --64--

Column 6, Line 4: Before "channel", insert --temperature control--

MAILING ADDRESS OF SENDER (Please do not use customer number below):

Keith M. Tackett
PATTERSON & SHERIDAN, L.L.P.
3040 Post Oak Blvd., Suite 1500
Houston, TX 77056-6582

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO. : 6,916,399

Page 3 of 3

APPLICATION NO. : 09/325,026

DATED : Jul. 12, 2005

INVENTOR(S) : Yan ROZENZON, Gil LAVI, Evans Y. LEE, Dong Ho CHOI, Matt HAMRAH, Paul E. LUSCHER, Kaushik
VAIDYA, Bryan PU, Richard FOVELL

It is certified that error appears in the above-identified patent and that said Letters Patent
are hereby corrected as shown below:

Column 6, Line 5: Change "window" to --chamber lid--

Column 6, Line 6: After "grooves", insert --100, 112--

Column 6, Line 6: Before "channel", insert --temperature control--

Column 6, Line 6: After "channel", insert --64--

MAILING ADDRESS OF SENDER (Please do not use customer number below):


Keith M. Tackett
PATTERSON & SHERIDAN, L.L.P.
3040 Post Oak Blvd., Suite 1500
Houston, TX 77056-6582

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.



United States Patent and Trademark Office

[Home](#) | [Site Index](#) | [Search](#) | [Guides](#) | [Contacts](#) | [eBusiness](#) | [eBiz alerts](#) | [Help](#)

Assignments on the Web > Patent Query

Patent Assignment Abstract of Title

***NOTE: Results display only for issued patents and published applications.
For pending or abandoned applications please consult USPTO staff.***

Total Assignments: 2

Patent #: [6916399](#) **Issue Dt:** 07/12/2005 **Application #:** 09325026 **Filing Dt:** 06/03/1999**Inventors:** YAN ROZENZON, GIL LAVI, EVANS Y. LEE, DONG HO CHOI, MATT HAMRAH, PAUL E. LUSCHER et al**Title:** TEMPERATURE CONTROLLED WINDOW WITH A FLUID SUPPLY SYSTEM

Assignment: 1

Reel/Frame: [010447/0135](#)**Recorded:** 12/03/1999**Pages:** 3**Conveyance:** ASSIGNMENT OF ASSIGNORS INTEREST (SEE DOCUMENT FOR DETAILS).**Assignor:** [LAVI, GIL](#)**Exec Dt:** 08/05/1999**Assignee:** [APPLIED MATERIALS, INC.](#)

P.O. BOX 450A

SANTA CLARA, CALIFORNIA 95052

Correspondent: APPLIED MATERIALS, INC.

ROBERT W. MULCAHY

PATENT COUNSEL

P.O. BOX 450-A

SANTA CLARA, CA 95052

Assignment: 2

Reel/Frame: [010447/0113](#)**Recorded:** 12/03/1999**Pages:** 3**Conveyance:** ASSIGNMENT OF ASSIGNORS INTEREST (SEE DOCUMENT FOR DETAILS).**Assignor:** [CHOI, DONG HO](#)**Exec Dt:** 08/10/1999**Assignee:** [APPLIED MATERIALS INC.](#)

P.O. BOX 450-A

SANTA CLARA, CALIFORNIA 95052

Correspondent: APPLIED MATERIALS, INC.

ROBERT W. MULCAHY

PATENT COUNSEL

P.O. BOX 450-A

SANTA CLARA, CALIFORNIA 95052

Search Results as of: 07/05/2006 04:36 PM

If you have any comments or questions concerning the data displayed, contact OPR / Assignments at 571-272-3350

| [HOME](#) | [INDEX](#) | [SEARCH](#) | [eBUSINESS](#) | [CONTACT US](#) | [PRIVACY STATEMENT](#)